

Extraview

5% openness

Extraview Sunscreen


Features

Extraview fabric is a high-quality solar protection fabric with a 1 x 2 basket weave construction. With a 5% openness factor this sunscreen provides a level of daytime privacy and UV control.

Care Instructions

Dusting with a feather duster is all that is required to keep your fabric looking good. Dirt and grime can be removed by simply wiping fabric skins with a sponge soaked in lukewarm water. If marks are still visible, add a little detergent. Then dry gently with a clean cloth.

Colour Options



Charcoal
Grey

Pearl

Pearl
Linen

White
Linen

White
Stone



Fire retardant
AS1530 part 2



Luxaflex[®]

Extraview 5% openness Sunscreen


Technical information

Fabric Density	Semi Transparent
Composition	36% FibreGlass, 64% PVC
Weight	400gsm $\pm$ 5%
Thickness	0.52mm $\pm$ 10%
Width	3100mm
Colour Fastness	6-7 (AS 2001.4.21)
Flame Retardancy	Independently tested to AS1530 part 2. Flammability Index: 1 Range [1-20]
Weave	2 x 1 Basketweave
Organic emissions (VOC)	Does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Building Council of Australia (IEQ-11).
Product Options	Roller Blinds

Fabric colour	Charcoal Grey	Pearl
Optical/Light properties		
Visual Light Transmittance	5%	7%
Openness factor (nominal)	5%	5%
Heat/Solar properties		
Solar transmittance	6%	10%
Solar reflectance	8%	33%
Solar absorbance	86%	57%
G-value / Solar heat gain coefficient		
Glazing Type - Single 4mm Clear Glass	0.67	0.53

For more information please contact New Zealand Window Shades on 0800 223 224 or <http://www.luxaflex.co.nz/contact-us>

Colour options presented with data specifications



Charcoal
Grey

Pearl



Extraview 5% openness Sunscreen

Technical information

Fabric Density	Semi Transparent
Composition	36% Fibreglass, 64% PVC
Weight	400gsm $\pm$ 5%
Thickness	0.52mm $\pm$ 10%
Width	3100mm
Colour Fastness	6-7 (AS 2001.4.21)
Flame Retardancy	Independently tested to AS1530 part 2. Flammability Index: 1 Range [1-20]
Weave	2 x 1 Basketweave
Organic emissions (VOC)	Does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Building Council of Australia (IEQ-11).
Product Options	Roller Blinds

Fabric colour	Pearl Linen	White Linen	White Stone
---------------	-------------	-------------	-------------

Optical/Light properties

Visual Light Transmittance	9%	15%	18%
Openness factor (nominal)	5%	5%	5%

Heat/Solar properties


Solar transmittance	12%	19%	21%
Solar reflectance	39%	61%	61%
Solar absorbance	49%	20%	18%

G-value / Solar heat gain coefficient

Glazing Type - Single 4mm Clear Glass	0.50	0.38	0.38
---------------------------------------	------	------	------

For more information please contact New Zealand Window Shades on 0800 223 224 or <http://www.luxaflex.co.nz/contact-us>

Colour options presented with data specifications



Pearl
Linen

White
Linen

White
Stone

New Zealand Window Shades Ltd.
PO Box 12 785, Penrose, Auckland 1642, New Zealand
Luxaflex® is a division of New Zealand Window Shades Ltd.
©Copyright 2019 New Zealand Window Shades Ltd.



Fire retardant
AS1530 part 2

Luxaflex®